

Search History (23 pp.) #... (09/17/05).

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L30	104	writ\$3 near1 (speed rate time) with read\$3 near1 (speed rate time) and (single adj chip integrated adj circuit IC) and (RAM random adj access adj memory) and display and decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 13:52
L31	8	writ\$3 near1 (speed rate time) with read\$3 near1 (speed rate time) and (single adj chip integrated adj circuit IC) and (RAM random adj access adj memory) and display and decod\$3 and compress\$3 and decompress\$3 and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:06
L32	1	writ\$3 near1 (speed rate time) with read\$3 near1 (speed rate time) and (single adj chip integrated adj circuit IC) and (RAM random adj access adj memory) and display and decod\$3 and compress\$3 and decompress\$3 and driver and "345"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:10
L33	1	writ\$3 near1 (speed rate time) with read\$3 near1 (speed rate time) and (single adj chip integrated adj circuit IC) and (RAM random adj access adj memory) and display and decod\$3 and compress\$3 and decompress\$3 and driver and fifo near4 ram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:10
L34	31	(US-20010028346-\$ or US-20020055215-\$ or US-20020057265-\$ or US-20020149044-\$ or US-20020186694-\$ or US-20040212000-\$ or US-20050017274-\$ or US-20050151210-\$).did. or (US-5355508-\$ or US-5499039-\$ or US-5502576-\$ or US-5537229-\$ or US-5559776-\$ or US-5615056-\$ or US-5630204-\$ or US-5647047-\$ or US-5723893-\$ or US-5805488-\$ or US-5847691-\$ or US-5852428-\$ or US-5914955-\$ or US-5939749-\$ or US-5977997-\$ or US-6006105-\$ or US-6026088-\$ or US-6157976-\$ or US-6310652-\$ or US-6344692-\$ or US-6800888-\$ or US-6867433-\$ or US-6943782-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/17 14:11

L35	7	34 and fifo	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 14:29
L36	0	graphical adj date near4 text adj data and "345"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 14:29
L37	0	graphical adj data near4 text adj data and "345"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 14:29
L38	0	graphical adj data near4 text adj data and "345"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:29
L39	0	graphical adj data near4 text adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:29
L42	1284	((345/534) or (345/536) or (345/537) or (345/538) or (345/539) or (345/547) or (345/554)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/17 14:51
L43	0	42 and (semiconductor adj device integrated adj circuit single adj (chip die) IC).ti,ab,clm. and (decod\$3 decompress\$3 compress\$3).ti,ab,clm. and (RAM random adj access adj memory FIFO).ti,ab,clm. and (driver driving adj (circuit section)).ti,ab,clm. and writ\$3 near2 (speed rate time).ti, ab,clm. and read\$3 near2 (speed time rate).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 14:55
S1	3	input adj interface.ti,ab. and semiconductor adj device.ti,ab. and "257"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:39
S2	2	input adj interface.ti. and semiconductor adj device.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/16 18:32

S3	18	input adj interface.ti,ab. and semiconductor adj device.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/16 18:33
S4	1428	((257/99).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/28 18:28
S5	26	((257/99).CCLS.) and input and output and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 18:29
S6	7	((257/99).CCLS.) and input and output and display and compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 18:32
S7	10	"370"/\$6.ccls. and semiconductor adj substrate and integrated and input and output and display and compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 18:52
S8	1889	((257/99) or (370/395) or (370/348)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/28 18:53
S9	10	((((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 18:54
S10	8	((((257/99) or (370/395) or (370/348)).CCLS.) and input and output and display and compress\$3 and (semiconductor or substrate or die or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/28 18:55
S11	2	("5914955").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 14:19

S12	0	type near5 multiplex\$3 near2 data near5 demultiplex\$3 near6 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:21
S13	0	multiplex\$3 near2 data near5 demultiplex\$3 near6 single adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:22
S14	0	multiplex\$3 near2 data near15 demultiplex\$3 near6 single near12 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:23
S15	0	multiplex\$3 near2 data near15 demultiplex\$3 near6 single near15 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:23
S16	87	multiplex\$3 near2 data near15 demultiplex\$3 near6 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:25
S17	0	(multiplex\$3 near2 data near15 demultiplex\$3 near6 single) and rostoker.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:24
S18	5	semiconductor.ti,ab,clm. and (multiplex\$3 near2 data near15 demultiplex\$3 near6 single)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:38
S19	0	semiconductor.ti,ab,clm. and compressed near15 decompressed near12 data near12 (different or various) near12 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:39
S20	8	compressed near15 decompressed near12 data near12 (different or various) near12 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:39
S21	0	compressed near15 decompressed near12 data near12 (different or various) near12 type and (semiconductor or chip or die)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:40

S22	3	compress\$3 near15 decompress\$3 near12 data near12 (different or various) near12 type and (semiconductor or chip or die).ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:41
S23	24	compress\$3 near15 decompress\$3 near12 data near12 (different or various) near12 type and (semiconductor or chip or die)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:50
S24	0	maestro-1 near12 compression near12 decompression near12 data near12 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:51
S25	0	maestro-1 near12 (decompress or decompression) near12 data near12 type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/05 14:51
S26	2	("6477185").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/07 13:40
S27	1	("6553147").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/07 13:40
S28	2	("6525775").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/07 13:41
S29	2	("6356312").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/07 13:41
S30	7	((("6477185").PN.) or ("6553147").PN.) or ("6525775").PN.) or ("6356312").PN.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 13:41

S31	1	((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and input adj terminal and (compressed or compression) near6 data and (multiplexing or multiplex or multiplexed) and (demultiplex or demultiplexing or demultiplexed) near6 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 13:53
S32	0	((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and input adj terminal and (compressed or compression) near6 data and (multiplexing or multiplex or multiplexed) and (demultiplex or demultiplexing or demultiplexed) near6 bus and semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 13:54
S33	0	((("6477185").PN.) or (("6553147").PN.) or (("6525775").PN.) or (("6356312").PN.)) and (semiconductor or chip or die)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:21
S34	53	demultiplex\$3 near6 single and "348"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:23
S35	0	demultiplex\$3 near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or transmission) near6 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:28
S36	0	demultiplex\$3 near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or transmission) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:29
S37	0	(de-multiplex\$3 demultiplex\$3) near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and (transmit or transmitted or transmission) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:30

S38	0	(de-multiplex\$3 demultiplex\$3) near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:31
S39	0	(de-multiplex\$3 demultiplex\$3) near4 "into" near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:32
S40	0	(de-multiplex\$3 demultiplex\$3 compres\$4) near4 "into" near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip) and input near3 terminal and output near3 terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:32
S41	0	(de-multiplex\$3 demultiplex\$3 compres\$4) near4 "into" near6 single and "348"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:32
S42	0	(de-multiplex\$3 demultiplex\$3 compres\$4) near4 "into" near6 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 15:32
S43	20	demultiplex\$3 near6 single and "348"/\$6.ccls. and (substrate or semiconductor or die or chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 16:15
S44	8	mpeg-4 and (demux or demultiplex\$3) near6 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 17:02
S45	8	"mpeg-4"\$2 and (demux or demultiplex\$3) near6 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 17:03
S46	20	"mpeg-4"\$2 and (demux or demultiplex\$3) near12 single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/07 17:04

S47	0	((("6477185").PN.) and decompress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/08 10:11
S48	2	("6477185").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/09 15:45
S49	25	decompression near4 data near6 demultiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:25
S50	1	single near5 bus near6 data near2 type and compress\$3 and demultiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:28
S51	0	single adj bus near6 (type near2 data) and audio and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:30
S52	18	single adj bus near6 (type near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:35
S53	2	separate adj bus near6 (type near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:50
S54	3	separate adj bus near10 (type near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:52
S55	78	(bus near3 video) near3 (bus near3 audio) and (multiplex\$3 or compress\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 16:54
S56	6	(bus near3 video) near2 (bus near3 audio) and (multiplex\$3 or compress\$3) and input near6 output near6 terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:05

S57	60	(bus near3 video) near20 (bus near3 audio).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:06
S58	5	(bus near3 video) near20 (bus near3 audio).ti,ab,clm. and (compression or compressed or multiplexing or multiplexed).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:10
S59	22	(bus near1 video) near12 (bus near1 audio) and (compression or compressed or multiplexing or multiplexed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:11
S60	12	(bus near1 video) near12 (bus near1 audio) and (compression or compressed or multiplexing or multiplexed).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:17
S61	0	video adj bus near15 frequency adj (range or domain) near15 audio adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:18
S62	0	video adj bus near15 frequency near15 audio adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:43
S63	0	mpeg\$2 near6 standard near6 video adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:44
S64	411	mpeg-4.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:45
S65	0	mpeg-4.ti,ab,clm. and video adj bus.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:46
S66	0	mpeg-4.ti,ab,clm. and video adj bus and audio adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:46

S67	0	mpeg-4.ti,ab,clm. and video adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:46
S68	21	mpeg\$2 and audio adj bus and video adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 17:48
S69	7	mpeg\$2 and audio adj bus and (zoomed adj video or zv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 18:17
S70	2	("5914955").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/09 19:21
S71	8709	ram and controller and driver and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:24
S72	10	(US-5805488-\$ or US-5355508-\$ or US-5914955-\$ or US-5537229-\$ or US-6006105-\$ or US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or (US-20020186694-\$).did.	US-PGPUB; USPAT	OR	OFF	2003/05/09 19:23
S73	1	(ram and controller and driver and decoder) and ((US-5805488-\$ or US-5355508-\$ or US-5914955-\$ or US-5537229-\$ or US-6006105-\$ or US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$). did. or (US-20020186694-\$).did.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:31
S74	19334	ram and controller and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:25
S75	4	((US-5805488-\$ or US-5355508-\$ or US-5914955-\$ or US-5537229-\$ or US-6006105-\$ or US-6026088-\$ or US-6310652-\$ or US-5615056-\$ or US-6157976-\$).did. or (US-20020186694-\$).did.) and (ram and controller and decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:46

S76	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:32
S77	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram and (decode or decoder or decoding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:33
S78	2	display.ti,ab,clm. and input adj terminal near5 compressed adj data and ram and (decode or decoder or decoding) and (driving or driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:34
S79	3	display.ti,ab,clm. and input adj terminal near5 compressed adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:38
S80	1245	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:55
S81	151	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and input adj terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:54
S82	76	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and input adj terminal and semiconductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:50
S83	3	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and input adj terminal and semiconductor and electrode near10 display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:50
S84	0	(370/395).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/09 19:54

S85	484	(370/348).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/09 19:55
S86	0	(mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and input adj terminal) and ((370/348).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:55
S87	95	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and "370"/\$6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 19:56
S88	2	mpeg\$2 and display and (decode or decoder or decoding) and ram and (driving or driver) and controller and "370"/\$6.ccls. and input adj terminal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 20:50
S89	15	(driver or driving adj section) near12 electrode near12 display adj section	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/09 20:52
S90	0	RAM near12 LCD adj display near12 read near12 (repeat or repeated or repeatedly or twice or phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 11:05
S91	25	RAM near12 LCD adj display near12 read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 11:12
S92	0	RAM near12 LCD adj display near12 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 11:14
S93	56	RAM near12 display near12 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 11:14
S94	8	RAM near12 (read or reading) near12 display near12 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:39

S95	0	RAM near12 restored near12 display near12 phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:39
S96	729	RAM near12 restored	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:39
S97	8	(RAM near12 restored) and "epson"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:43
S98	146	tamura.in. and "epson"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:44
S99	19	tamura.in. and tsuyoshi.in. and "epson"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:50
S10 0	3	tamura.in. and tsuyoshi.in. and "epson" and "two times"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/10 12:51
S10 1	6	(("6441813") or ("5630204") or ("6477185") or ("5852428") or ("6147712") or ("5631710")).PN.	USPAT; USOCR	OR	OFF	2003/05/12 11:36
S10 2	4	"981734".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:12
S10 3	2	("5977997").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 14:13
S10 4	0	("981734.ap.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:39

S10 5	4	"981734".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:52
S10 6	0	writ\$3 adj speed and read\$3 adj speed with decoded adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 07:52
S10 7	30	writ\$3 adj speed and read\$3 adj speed and decoded adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:54
S10 8	0	writ\$3 adj speed with RAM and read\$3 adj speed with RAM and decoded adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 07:54
S10 9	11	writ\$3 adj speed and read\$3 adj speed and decoded adj data and RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:02
S11 0	0	("readadjspeedwithwritespeedand RAManddecoder").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:03
S11 1	30493	read adj speed with write speed and RAM and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:03
S11 2	30	(read adj speed) with (write adj speed) and RAM and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:59
S11 3	117	(read adj speed) and (write adj speed) and RAM and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:06
S11 4	3410	(read\$3 with speed) and (writ\$3 with speed) and RAM and decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:06

S11 5	398	(read\$3 with speed) and (writ\$3 with speed) and RAM and decoder and compress\$3 and decompress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:07
S11 6	222	(read\$3 with speed) and (writ\$3 with speed) and RAM and decoder and compress\$3 and decompress\$3	USPAT	OR	ON	2005/09/13 08:08
S11 7	438	(read\$3 with (rate speed)) and (writ\$3 with (rate speed)) and RAM and decoder and compress\$3 and decompress\$3	USPAT	OR	ON	2005/09/13 08:09
S11 8	2	("6628719").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:29
S11 9	0	S118 and (compressed compression) near4 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:29
S12 0	1	S118 and (compressed compression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 08:36
S12 1	0	(intergated adj circuit IC semiconductor).ti,ab,clm. and compress\$3 and decod\$3 and decompress\$3 and RAM and driver adj section and display adj section and controller and writ\$3 adj speed and read\$3 adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:52
S12 2	0	(integrated adj circuit IC semiconductor).ti,ab,clm. and compress\$3 and decod\$3 and decompress\$3 and RAM and driver adj section and display adj section and controller and writ\$3 adj speed and read\$3 adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:52
S12 3	0	(integrated adj circuit IC semiconductor) and compress\$3 and decod\$3 and decompress\$3 and RAM and driver adj section and display adj section and controller and writ\$3 adj speed and read\$3 adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:52

S12 4	0	compress\$3 and decod\$3 and decompress\$3 and RAM and driver adj section and display adj section and controller and writ\$3 adj speed and read\$3 adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 08:53
S12 5	12	compress\$3 and decod\$3 and decompress\$3 and RAM and driver and display and controller and writ\$3 adj speed and read\$3 adj speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:00
S12 6	0	"6628719".pn. and writ\$3 and read\$3 and ram and integrated adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:04
S12 7	0	"6628719".pn. and integrated adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:05
S12 8	0	"6628719".pn. and IC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:12
S12 9	0	"5977997".pn. and speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:13
S13 0	0	"5977997".pn. and (rate speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:13
S13 1	1	"5977997".pn. and (time rate speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:14
S13 2	1	(semiconductor silicon integrated adj circuit IC) and "i/o" adj stream adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:15
S13 3	18161	(semiconductor silicon integrated adj circuit IC) and ((input near1 output near4 interface) ("i/o" adj stream adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:17

S13 4	17930	(semiconductor silicon integrated adj circuit IC) and ((input adj output near4 interface) ("i/o" adj stream adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:17
S13 5	7248	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:17
S13 6	42	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:49
S13 7	0	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and primary adj memory adj interface and main adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:19
S13 8	0	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and primary adj memory adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20
S13 9	32	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20
S14 0	14	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:21

S14 1	14	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:52
S14 2	1	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (writ\$3 near2 (time speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:24
S14 3	0	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (writ\$3 near2 (time speed)) and (read\$3 near2 (time speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:25
S14 4	0	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (writ\$3 near2 (time speed)) and (read\$3 near6 writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:25

S14 5	1	(semiconductor silicon integrated adj circuit IC) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (writ\$3 near2 (time speed)) and (read\$3 same writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:25
S14 6	2345	read\$3 adj (rate time speed) same writ\$3 adj (rate time speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:47
S14 7	0	S141 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:47
S14 8	1	S136 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:47
S14 9	42	(semiconductor silicon integrated adj circuit IC monolithic) and ((input adj output adj interface) ("i/o" adj stream adj interface)) and MPEG near1 (coprocessor decoder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:49
S15 0	232	(semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:52
S15 1	29	(semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:03

S15 2	13	(semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) with (writ\$3 near2 (time rate speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:01
S15 3	1	(semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) with (writ\$3 near2 (time rate speed)) with (higher lower faster slower slowly)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:57
S15 4	2	(semiconductor silicon integrated adj circuit IC) and MPEG\$3 near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) with (writ\$3 near2 (time rate speed)) with (higher lower faster slower slowly)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:57
S15 5	5287	((345/204) or (345/213) or (345/501) or (345/520) or (345/530) or (345/531) or (345/534) or (345/537) or (345/541) or (345/545) or (345/549) or (345/555) or (345/558) or (345/691)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/13 10:03
S15 6	9	S155 and (semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:04

S15 7	1	S155 and (semiconductor silicon integrated adj circuit IC) and MPEG near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:06
S15 8	1	S155 and (semiconductor silicon integrated adj circuit IC) and MPEG\$4 near1 (coprocessor decoder) and (ram primary adj memory adj interface) and (driving adj section driver (video adj dac adj "pal/ntsc")) and (controller cpu display adj controller) and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:07
S15 9	8	S155 and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:35
S16 0	1	"6466193".pn. and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:36
S16 1	1	"6466193".pn. and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower).ti,ab,clm. and read\$3 and writ\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:36
S16 2	0	"6466193".pn. and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower).ti,ab,clm. and read\$3 and writ\$3 and integrated adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:36
S16 3	1	"6466193".pn. and (read\$3 near2 (time rate speed)) same (writ\$3 near2 (time rate speed)) same (higher lower faster slower).ti,ab,clm. and read\$3 and writ\$3 and (semiconductor silicon wafer substrate chip die integrated adj circuit ic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:37

S16 4	18	(US-20010028346-\$ or US-20020055215-\$ or US-20020057265-\$ or US-20020186694-\$).did. or (US-5355508-\$ or US-5499039-\$ or US-5537229-\$ or US-5615056-\$ or US-5630204-\$ or US-5805488-\$ or US-5847691-\$ or US-5852428-\$ or US-5914955-\$ or US-6006105-\$ or US-6026088-\$ or US-6157976-\$ or US-6310652-\$ or US-6943782-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/14 17:02
S16 5	2	("6037639").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/14 17:04
S16 7	1	piziali.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 16:13
S17 0	2	("6300184").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 10:05
S18 0	0	("vainsencher.in.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:26
S18 1	22	vainsencher.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:47

S18 2	27	(US-20010028346-\$ or US-20020055215-\$ or US-20020057265-\$ or US-20020149044-\$ or US-20020186694-\$ or US-20040212000-\$ or US-20050017274-\$ or US-20050151210-\$).did. or (US-5355508-\$ or US-5499039-\$ or US-5537229-\$ or US-5615056-\$ or US-5630204-\$ or US-5723893-\$ or US-5805488-\$ or US-5847691-\$ or US-5852428-\$ or US-5914955-\$ or US-5939749-\$ or US-6006105-\$ or US-6026088-\$ or US-6157976-\$ or US-6310652-\$ or US-6344692-\$ or US-6800888-\$ or US-6867433-\$ or US-6943782-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/16 16:26
S18 3	0	S181 and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:27
S18 4	1	S182 and kudo.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:51
S18 5	4970	(write writing) near1 (speed time rate) same (read reading) near1 (speed rate time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:52
S18 6	2761	(write writing) near1 (speed time rate) same (read reading) near1 (speed rate time) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:52
S18 7	266	(write writing) near1 (speed time rate) same (read reading) near1 (speed rate time) same RAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 16:52
S18 8	410	display and memory and decoder and controller and writ\$3 near2 speed and read\$3 near3 speed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:00
S18 9	26	display and memory and decoder and controller and (writ\$3 near2 speed and read\$3 near3 speed).ti, ab,clm. and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:05

S19 0	8	display and memory and decoder and controller and (writ\$3 near2 speed and read\$3 near3 speed).ti, ab,clm. and video and access adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:21
S19 1	1	"6465807".pn. and (depth deep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:21
S19 2	0	(screen\$3 shield\$3) near5 debye near5 base adj region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:22
S19 3	6	(screen\$3 shield\$3) near10 (electrostatic debye) near10 base adj region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:22